

MÄKTIG® NEW BRAKE TOOLS



602227

12-PC BRAKE MASTER CYLINDER KIT COVERS MOST DOMESTIC AND IMPORTED BRANDS

- This master cylinder adapter set includes twelve adapters all designed to work with brake fluid bleeders, so you can easily remove and refill fluid into your entire brake system on your own.
- Compatible with a variety of master cylinder reservoirs.

Adapter	Size	Application
B	43 mm	Toyota, Lexus
B1	43,5 mm	Chrysler, Dodge, Jeep, Plymouth
B2	43,5 mm	Chrysler, Dodge, Jeep, Plymouth
B3	49,5 mm	GM, Mazda
C1	56 mm	Honda Accord
C2	34,5 mm	Nissan
E1	Universal	Chrysler/GM
J	50,7 mm	Hyundai, Mitsubishi, Nissan, Chrysler, Dodge, Ford
E20	45 mm	Audi, BMW, Mercedes-Benz, Jaguar, Porsche, VW, Volvo
L	74 mm	Honda
D1	47 mm	Universal
D2	29 mm	Universal



602228

MASTER CYLINDER ADAPTER FOR TESLA MODEL 3 & Y

- Easily Remove And Refill Fluid Into Tesla Braking System
- Material: Aluminum Alloy



602209

SINGLE PISTON BRAKE PAD SPREADER

- Squeeze head: 1.57" / 40mm
- Operation range: 0.59"-3.54" / 15mm - 90mm
- Material: Steel



602210

DUAL/QUAD PISTON BRAKE SPREADER

- Pad Thickness: 0.19"/4.9mm
- Operation Range: 0.39"-2.59" / 10mm-66mm
- Material: Steel



MÄKTIG®

NEW WIRELESS CHARGING WORK LIGHTS



PRODUCT
DEMONSTRATION



703333

WIRELESS CHARGING PROFESSIONAL MINI FLOOD LIGHT

- Compatible with MÄKTIG wireless charging dock
- 4 light modes, up to 800 Lumens
- Ultra robust poly-rubberized work light housing
- Includes heavy duty mounting magnets
- 180 degree rotating head
- Super bright COB LED, 6500K
- High Quality 3.7V Li-ion Rechargeable battery built in
- Battery level indicator

**800
LUMENS**



2M
IK07



MAGNETS



IP65

SWITCH MODE /
LUMINOUS FLUX / RUN TIME

- Spot Light Mode
250 lm / 4.5 hours
- Flood Light Low Mode
160 lm / 10 hours
- Flood Light Med Mode
400 lm / 4 hours
- Flood Light High Mode
800 lm / 2.5 hours



703334

WIRELESS CHARGING PROFESSIONAL FLASHLIGHT

- Compatible with MÄKTIG wireless charging dock
- 4 light modes, up to 1,000 Lumens
- Ultra robust poly-rubberized work light housing
- Super bright COB LED, 6,500K
- High Quality 3.7V Li-ion Rechargeable battery built in
- Battery level indicator

**1000
LUMENS**



2M
IK07



IP68

SWITCH MODE / LUMINOUS FLUX / RUN TIME

- Spot Light Eco: 5 lm / 200 hours
- Spot Light Low Mode: 35 lm / 25 hours
- Spot Light Med Mode: 400 lm / 4 hours
- Spot Light High Mode: 1,000 lm / 2 hours



Work lights and docking station sold separately.

703330

DUAL PAD WIRELESS CHARGING DOCK FOR MÄKTIG WIRELESS FLASHLIGHTS

- Patented pull-out phone holder & charger
- Constructed from durable Nylon & TPE housing
- Strong magnet in the front to support light
- Strong magnet in back to attached on toolbox
- Built-in screw holes for wall mounting
- LED battery level indicators show the charging
- QC3.0 18W USB fast Charger and QC3.0 TYPE-C fast charger cable
- Temperature: -10° to +40°
- CE, RoHS, IP20, IK07



Work lights sold separately.

10W INPUT

TYPE C
RECHARGEABLE

WIRELESS CHARGING

MAGNETIC BACK

COMPATIBLE TELEPHONE

2M IK07

703332

WIRELESS CHARGING PROFESSIONAL FLOOD LIGHT

- Compatible with MÄKTIG wireless charging dock
- 4 light modes, up to 1,000 Lumens
- Ultra robust poly-rubberized work light housing
- Includes heavy duty mounting magnets and hooks
- 180 degree Flexible handle
- Super bright COB LED, 6,500K
- High Quality 3.7V Li-ion Rechargeable battery built in
- Battery level indicator

SWITCH MODE / LUMINOUS FLUX / RUN TIME

- Spot Light Low Mode 200 lm / 7 hours
- Flood Light Low Mode 250 lm / 7.5 hours
- Flood Light Med Mode 500 lm / 3.5 hours
- Flood Light High Mode 1,000 lm / 1.7 hours



1000 LUMENS

180°

IP65

HOOK

MAGNETS

2M IK09



800 LUMENS

180°

IP65

2M IK07

MAGNETS

HOOK



Docking station sold separately.


703331

WIRELESS CHARGING PROFESSIONAL SLIM FOLDING LIGHT

- Compatible with MÄKTIG wireless charging dock
- 4 light modes, up to 800 Lumens
- Ultra robust poly-rubberized work light housing
- Includes heavy duty mounting magnets and hooks
- 180 degree folding light
- Super bright COB LED, 6,500K
- High Quality 3.7V Li-ion Rechargeable battery built in
- Battery level indicator

SWITCH MODE / LUMINOUS FLUX / RUN TIME

- Spot Light Mode 120 lm / 9 hours
- Flood Light Low Mode 400 lm / 4.5 hours
- Flood Light High Mode 800 lm / 2.5 hours
- Side Light Mode 400 lm / 4.5 hours



Mäktig wireless charging dock sold separately.

Includes heavy duty mounting magnets and hooks.

MÄKTIG®

NEW MÄKTIG TOOLS



602136
EXHAUST HANGER PLIERS

- Enables fast removal of exhaust brackets from rubber hangers.
- LENGTH: 27CM (10.6")
- OPENING: 5.5CM (2.16")



602137
EAR-TYPE CV BOOT PLIERS

- Designed to crimp the ear-type cv boot on fuel, cooling systems and vacuum hoses.
- LENGTH: 24CM (9.44")
- OPENING: 2.5CM (0.98")



602139
22 PCS MASTER QUICK DISCONNECT TOOL KIT

- Air Conditioning Lines
- Fuel lines
- Fuel filters
- Fuel pressure regulators
- Radiator cooler lines
- Fuel return lines
- Oil cooler lines
- Transmission oil cooler lines
- Compatible with A/C Fittings
- Radiator and Heater hoses
- Vehicle specific applications



602138
3PC FUEL LINE DISCONNECT SET

- Break into fuel lines and hoses fitted with quick release coupling, and release snap connectors on fuel lines.
- Length: 11.5cm (4.52")

MÄKTIG® NEW MAKTIG TOOLS



603003

WORKSHOP ROLLING CREEPER SEAT

- Thick & comfortable vinyl foam seat
- Constructed from high quality steel
- 2 ball bearing drawers (30lbs capacity)
- 4 swivel smooth rolling poly castors
- 250 lbs load capacity
- 3-slot can holder
- Under seat storage for tools, parts & accessories
- 603003R1 - Replacement caster set (4pack)



603004

PROFESSIONAL MECHANIC'S CREEPER

- Cushioned head rest
- Low profile
- Capacity: 350 lbs. evenly distributed weight capacity
- 6 swivel casters
- Easy to clean surface
- 603004R1 - Replacement caster set (6pack)
- 42" overall length

MÄKTIG®

NEW MÄKTIG TOOLS



602135

3-PIECE INDEXING PRY BAR SET (ROTATING HEADS)

- 8", 10" and 16" pry bar lengths For different applications
- Compact design fits into tight spaces
- Lightweight and portable for on-the-go jobs
- The heads pivot 180° on 14 locking positions
- Provides inclined access to pry points
- Fits Into awkward, hard-to-reach spaces
- Strong construction for prying, scraping and chiseling
- Built to withstand tough demolition jobs
- Rugged bars for heavy-duty use



602208

16PCS PNEUMATIC BRAKE CALIPER COMPRESSION SET

- Set includes a pneumatic compressor tool and 15 drive key disc adapters
- Compressor tool features a knurled swivel handle that turns both clockwise and counter clockwise for use on left and right hand threaded pistons
- Can easily rewind the rear disc brake caliper piston making brake service quickly and trouble-free
- The two magnetic pins can hold the adapter firmly in place
- Quick release button allows you to remove adapters safely and easily
- Comes with a convenient molded storage case



903000

FOLDING POCKET KNIFE

- 3" durable stainless steel blade
- Glass breaker
- Seat-belt cutter
- Steel pocket clip

MÄKTIG®

NEW MÄKTIG TOOLS



703307

RECHARGEABLE UNDERHOOD LIGHT

- 2000 lumens
- 3 lighting modes
- Up to 10hr Run time
- 7.4V 5200mAh lithium battery
- Super bright SMD LED, 6500K
- 4.5hr charging time
- Extendable and rotating hooks
- 2100 mm max length



3 MODES



5200mAh LITHIUM



RECHARGEABLE

2000
LUMENS



Underhood




703307R1
Replacement Battery



Gooseneck

500
LUMENS



FLEXIBLE



2M IK07



MAGNETIC BASE



IP54



RECHARGEABLE

703311

FLEXIBLE GOOSENECK SLIMLIGHT

- Flexible Gooseneck head for desired lighting angle
- 3 LED battery level indicator
- Strong magnet on the bottom
- 90 degree folding hook
- Durable housing, hook and lens
- Main light - High quality COB LED, 6500K
- Top light - High quality SMD LED, 6000K

SWITCH MODE / LUMINOUS FLUX / RUN TIME

- Top light: 120 lm / 9 hours
- Main light, with Unique Adjustable Dimmer function: Min - Max 50-500 lm / 25-2 hours

MÄKTIG®

8 MIL HIGH QUALITY LATEX GLOVES



POWDER-FREE



FULLY TEXTURED GRIP



SINGLE USE



AUTOMOTIVE



PAINT



INDUSTRIAL



FOOD



EXAMINATION


8 MIL HIGH QUALITY LATEX GLOVES

- Excellent Grip in Dry and wet Conditions
- Easy Donning and smooth removal after usage
- 9" long
- Fully Textured grip
- Safe For Food Handling, pass US FDA CFR 177.2600 (Rubber Articles)
- Extra thick 8.0 mils giving very high protection and long lasting
- Premium Quality Natural Rubber Latex
- Ambidextrous
- Beaded Cuff for easy removal
- Single use
- Powder Free
- Soft, smooth feel
- Box of 100 gloves

PART #	SIZE	QUANTITY/BOX
903035	M	100
903036	L	100
903037	XL	100

MÄKTIG®

NEW MÄKTIG TOOLS



602400

FRONT END SERVICE KIT

- Ideal set for servicing pitman arms, ball joints, and tie rods on most vehicles.
- Includes two pitman arm pullers for large or small ball joint applications, two ball joint separators, and one tie rod puller.
- Rugged construction materials and robust design allows for easy removal of the most popular types of pitman arms, tie rods, and ball joints.
- Forged with high quality heat-treated, alloy steel.
- Durable blow molded case

602129

EXTRA LONG HOOK & PICK SET 4-PIECE

- 14" Overall length for extra-long reach
- Dual material handle for comfort and grip that is oil and solvent resistant
- Blade is fixed into handle to prevent it turning during use
- Made of heat-treated cr-v steel and chrome vanadium steel shafts
- Includes a large hook pick, straight pick, 45 & 90-degree pick
- Allows easy removal of o-rings and various seals and bushings



MÄKTIG®

NEW MÄKTIG TOOLS



602123

SCREWDRIVER KIT 8-PIECE

- Bi-material ergonomic handle design for comfort & maximum tip torque
- Cr-v steel bar & tips for high strength & durability
- Black oxide magnetic tips for secure grip on fasteners
- Tip identification on handles for easy selection
- Set includes
 - 3 × Philips: ph 1 × 3", ph 2 × 4", ph 2 × 6"
 - 3 × Slotted: 1/4" × 4", 3/16" × 6", 5/16" × 6"
 - 2 × Square: s 1 × 4", s 2 × 4"



602124
METRIC



602125
SAE



602122

4-PIECE PLIER SET

- 8" Combination Pliers
- 8" Long Nose Pliers
- 7" Diagonal Cutters
- 10" Multi Grip Pliers
- Made from Chrome Vanadium Steel with a Black Finish
- Induction hardened cutting edge
- Black oxide finish of long nose pliers helps resist corrosion
- Diagonal cutting pliers are made from drop-forged steel for strength and durability
- TPR handles for better grip & comfort

602124/ 602125

13 PIECE HEX KEY SET BALL-END

- Black finish
- Hardened and tempered
- Long shafts provide extra reach and increased torque
- Ball hex end allows up to 25-degree entry angle
- Sizes from 0.05 inches to 3/8 inches (602125)
- Sizes from 1.27 mm to 10 mm (602124)

MÄKTIG®

NEW MÄKTIG TOOLS



602126

FLUTED SCREW EXTRACTOR SET 5-PIECE

- Straight fluted/ pyramidal extractor works on both standard and reverse threaded fasteners
- Drill hole in seized, rusted or broken fastener then drive extractor into and turn to remove
- Designed for softer materials or thin-walled pieces such as pipes and fittings
- Made from durable alloy steel with gripping edges that bite without enlarging fastener

EXTRACTOR	USE DRILL SIZE	REMOVES BOLTS & SCREWS
#1	5/64"	1/8" - 1/4" (4.76mm - 6.35mm)
#2	7/64"	1/4" - 5/16" (6.35mm - 7.94mm)
#3	5/32"	5/16" - 7/16" (7.94mm - 11.11mm)
#4	1/4"	7/16" - 9/16" (11.11mm - 14.29mm)
#5	19/64"	9/16" - 3/4" (14.29mm - 19.05mm)



602127

SPIRAL SCREW EXTRACTOR SET 5-PIECE

- Designed to remove broken studs, bolts, socket screws and fittings
- The left-hand spiral blade provides maximum grip for fastener removal applications
- Made from durable alloy steel and hardened for maximum durability
- Set includes 5 popular removal tools to fit fastener sizes 1/8", 1/4", 5/16", 7/16", 9/16"

EXTRACTOR	USE DRILL SIZE	REMOVES BOLTS & SCREWS
#1	5/64"	1/8" - 1/4" (4.76mm - 6.35mm)
#2	7/64"	1/4" - 5/16" (6.35mm - 7.94mm)
#3	5/32"	5/16" - 7/16" (7.94mm - 11.11mm)
#4	1/4"	7/16" - 9/16" (11.11mm - 14.29mm)
#5	19/64"	9/16" - 3/4" (14.29mm - 19.05mm)



602128

SCREW EXTRACTOR SET WITH DRILL BITS 10-PIECE

- Essential tool set for removing broken studs, bolts, socket screws and fittings
- Extractor material: bearing steel
- Drill bits material: m35 (cobalt) with titanium coating
- Left hand spiral flute screw extractors in sizes: Ex-1, ex-2, ex-3, ex-4, ex-5
- Drill bits sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"
- Includes heavy duty molded case

MÄKTIG®

NEW MÄKTIG TOOLS



602306 UNDERCOATING GUN AND CUP

- Air-operated undercoating gun with cup designed to spray light base rust-proofing material
- 1,100ml capacity
- Includes two flexible wands for added reach
- Air inlet: 1/4" NPT
- Rated pressure: 58-87 PSI
- Max pressure: 100 PSI



602306 R1 UNDERCOATING GUN REPLACMENT HOSE KIT



602305 BODY SHOP WORK TRESTLE

- Portable, Foldable work stand
- Padded top ideal to protect body panels
- Heavy Duty Steel Construction
- Supports up to 350kgs / 770lbs
- Open dimensions: 41" L x 29.5" W x 31.5 H
- Closed dimensions: 41" L x 2.4" W x 42" H

602304 PROFESSIONAL 7-PIECE BODY/ FENDER TOOL SET

- Made for body work
- Includes the most popular smooth surface hammers and dollies for shrinking and forming metals
- Octagonal handles made from hickory
- Heat-treated and made of high carbon steel

INCLUDES

- Curved cross chisel hammer
- Cross chisel shrinking hammer
- Utility pick hammer
- Glight dinging spoon
- Utility dolly
- Thin toe dolly
- Heel dolly



MÄKTIG®

NEW MÄKTIG TOOLS



602133

7-PIECE SENSOR SOCKET SET

CHROME VANADIUM STEEL

MANGANESE PHOSPHATE FINISH


CONTAINS:

- 1" & 1-1/16" oil pressure sending unit
- 29mm oil pressure sending unit socket
- 27mm thermal sensor switch socket
- 7/8" heated oxygen sensor socket
- 7/8" low profile offset oxygen sensor socket
- 7/8" oxygen sensor socket
- 7/8" universal vacuum PVS, TVS valve and oxygen sensor socket
- Use with: Gasoline, Diesel, Kerosene, Bio-Diesel

BREAKER BAR

- 1/2" Flexhead Breaker Bar

PART NO	LENGTH
602117	18"
602114	24"
602118	30"



602134

SPRING COMPRESSOR TOOL

- Designed to quickly and safely compress strut springs
- Forged steel & heat treated construction
- Black anodic oxidation coating to prevent rust and corrosion
- Includes locking pins for added safety



MÄKTIG®

NEW MÄKTIG TOOLS



603002

ADJUSTABLE PNEUMATIC ROLLER STOOL

- Adjusts from 15" to 20"
- 350lbs maximum seat capacity
- Cushioned Vinyl Cover
- Seat Swivels 360 Degrees
- Powder coated steel finish will prevent rust
- Includes accessible 15-1/4" tool tray
- 5 × 3" casters for ease of mobility
- Weight: 14.5 lbs



602119

MAGNETIC GLOVE DISPENSER

- Ideal for disposable glove boxes
- Four magnets hold the dispenser in place and attach easily to any metal surface
- Size: 9.961 in. × 5.630 in. × 3.740 in.
- Weight capacity: 8 lbs



602207

BRAKE CALIPER HANGER SET

- Overall length: 9 inches



601064

MULTI-USE TRANSFER PUMP

- Works with any low-viscosity fluid to fill or empty tanks and reservoirs
- Comes with extra-long hoses for easier access and fluid transfer
- Includes an air adapter kit for pumping bike tires and sporting equipment
- Ideal for transferring oils, siphoning gas, water and much more
- Robust ABS construction
- Manual pump operation

MÄKTIG®

NEW MÄKTIG TOOLS

600584

ELECTRIC FUEL PUMP HEAVY DUTY



57 LPM



GEARED

Heavy duty industrial grade fuel pump.

Designed for everyday use in agricultural, construction, automotive & industrial applications

Lightweight, yet strong non-corroding aluminium die-cast construction. Weather proof for tough outdoor use

Geared pump design using precision sintered metal gears

Geared construction makes the pump tolerant to contaminants in fuel, in addition to offering tremendous suction & minimal noise

UL & CUL listed Motor

Nozzle hanger for safe storage of nozzle when not in use

Provision to pad lock

Auto shut-off fuel control nozzle

Wire mesh strainer designed for easy cleaning without pump disassembly

Spin Collar for easy installation

ON/OFF switch

ON/OFF switch

12'x3/4" anti static rubber hose

SPECIFICATIONS

UL & CUL listed Motor	Heavy Duty 12V DC
Flow Rate (At pump outlet)	UPTO 57 LPM (15 GPM)*
EXPLOSION PROOF MOTOR	1/7 HP 12V DC
AMP	25 Amp
INTERNAL BYPASS VALVE	Yes
SUCTION PIPE	Steel
HOSE	3/4" x 12' anti static hose
TANK ADAPTER2	2" threaded
INLET	1» NPT
OUTLET	3/4" NPT
DISPENSING NOZZLE	3/4» manual with swivel
BATTERY CABLE (2 WIRES)	15'



DUTY CYCLE

30 minutes ON/
30 minutes OFF


WETTED COMPONENTS

Aluminum, Steel, Cast Iron, Nylon,
NBR, Zinc, Viton, Stainless Steel


RECOMMENDED USE

Gasoline, Diesel, E15 Fuel,
Kerosene, Bio Diesel (B20)

FLUIDS



GASOLINE



DIESEL



BIO DIESEL




KEROSENE

*Measured at pump outlet with Vehicle Engines switched on

MÄKTIG®

NEW MÄKTIG TOOLS



600594 DUAL PLANE FUEL NOZZLE SWIVEL

- Aluminium die cast construction with Laminar flow design for higher fuel flow
- 360° rotation for free movement facilitating flexibility to refuel vehicles from any direction
- Threaded: 3/4" NPT
- Use with: Diesel, Kerosene, Gasoline, Bio-Diesel Threaded: 1" NPT(F)



600611 FUEL FILTERS SPIN ON CARTRIDGE STYLE MAX. WORKING PRESSURE: 50 PSI

- High flow fuel filter with spin-on type filter with 10-micron spin-on type filter cartridge
- Aluminum die cast head fits on 1-1/2" -16 UNF threaded cartridges
- For use both on mobile & stationary fuel tanks in agricultural and construction sites
- Inlet & Outlet threaded 3/4" NPT(F)



600610 FUEL FILTERS

MAX. WORKING PRESSURE: 150 PSI

- Durable lightweight design for installation on mobile and stationary fuel tanks & gasoline pumps
- ISO plast see-through bowl with NBR Seal
- Comes with 10-micron filter element
- Inlet & Outlet 3/4" NPT(F)
- Use with Gasoline, Gasohol, Diesel, Kerosene & Bio-Diesel (blends upto 20%)
- Fuel tanks and on diesel & gasoline fuel pumps

600598 ANTI-STATIC FUEL HOSE

- Anti-static fuel hose complete with end connections
- Hose Length: 20' long x 3/4" ID
- Threaded 3/4" NPT (M)
- Use with: Gasoline, Diesel, Kerosene



600612 MECHANICAL FUEL METER

- Robust aluminium construction
- Nutating disc mechanism
- Flow Rate: 15-75 LPM (4-20 GPM)
- Accuracy: ±2%
- Repeatability: ±1%
- Use with: Diesel, Gasoline, Low to Medium Viscosity Oils
- Measures in litres
- Threaded: 1" NPT(F)



600593 AUTO SHUT OFF GASOLINE NOZZLE FLOW RATE: 15 GPM

- Heavy duty Aluminium body with thermoplastic trigger & guard
- Curved Spout OD: 15/16"
- Dual Mode - Manual & Automatic: Sensor in the discharge spout automatically shuts off the supply once fuel level in the tank reaches level of outlet spout
- 3/4" for use with Diesel & Gasoline
- Threaded 3/4" NPT (F)

MÄKTIG®

NEW MÄKTIG TOOLS

600586


AIR OPERATED TRANSFER PUMP

THE NEW AIR OPERATED FLUID TRANSFER PUMP:

Ideal for quick & safe transfer of fluids in industrial and workshop applications, on farms & construction sites.

Operated via compressed air supply the pump comes as a kit with:

- Air Pressure Regulator: Factory set at 8 PSI (0.5 BAR) for controlled air supply into the fluid drum.
- In-built 1/4" spring loaded safety valve to prevent pressure build-up in the pump system.
- 2 Pc Suction Tube: Suitable for use on 50-205 litre (15-55 gallon) drums with 1-1/2" or 2" opening
- 6' (1.85m) × Ø 1" (26mm) discharge hose with steel spout



For use on drums up to 205 litre (55 gal.)

WETTED COMPONENTS	Stainless Steel, Cast Iron, Brass & NBR
RECOMMENDED USE	Water & Water Based Media, Corrosive media, Diesel, Kerosene & Oils
DO NOT USE WITH	Gasoline, Lacquer, Thinners, etc.




SPECIFICATIONS

ITEM	DETAILS
MAX. AIR PRESSURE	10 PSI (0.7 BAR)
AIR INLET CONNECTION	1/4" (F)
BUNG SIZE	1-1/2" & 2"

FLOW RATE:

UPTO 72 LPM (19 GPM)

FLUIDS



MÄKTIG®

NEW MÄKTIG TOOLS



703304

LED HEADLIGHT

- High Efficiency COB LED & XPE LED Lights
- Durable and stretchable headband with silicone lamp shell is adjustable to any head size
- Super Bright & 5 Light Modes
- Working Time of 2.5-8 hours
- Charging cable included
- Illuminate up to 230 Degrees and 150ft away with the 350 lumen LED lights
- Charging cable included



RECHARGEABLE TYPE C



MOTION SENSOR DETECTOR



RECHARGEABLE TYPE C

703309

MINI COB LED FLASHLIGHT

- 3.7V 600mAh lithium battery
- Belt clip
- Battery indicator light
- Magnetic base
- 2 Lighting modes
- 300 LM (high) 100 LM (low)
- Working Time of 1.5-3 hours
- 3.5" long
- Charging cable included



RECHARGEABLE TYPE C

703310

PENLIGHT

- Two modes: LED COB 300 Lumens LED 180 Lumens
- Charging time: 2 hours
- Working Time of 3 hours
- Battery 650 mAh Li-ion
- Aluminum housing
- Weight 58g
- Charging cable included



602132

9PCS HOSE CLAMP PLIERS SET

- Constructed with high-quality Heat-treated carbon steel and PVC
- Anti-Slip handles with Matte Texture for ergonomic design
- Specifically used for assembly and disassembly of various hoses, lines, tubes, etc.
- Storage box for easy transportation, safe storage, and quick organization



602130

HEAVY DUTY CIRCUIT TESTER

- Checks all 6/ 12 / 24 volt systems
- Cars
- Airplanes
- Snowmobiles
- Boats
- Trucks
- Mopeds
- Campers
- Motorcycles
- LED Bulb
- Trailers
- Vans

MÄKTIG®

NEW MÄKTIG TOOLS



FOR RV

PREMIUM WATER HOSES

- Made of premium hybrid polymer material
- Very flexible and lightweight
- Drink Water safe hose
- Tested free of lead and phthalate
- Perfect for RV camping, travelling, home and industrial use
- All-weather flexibility, UV stabilized and Ozone resistant
- Upgraded ergonomic grip with crush resistant couplings
- Burst strength of 450 PSI, temperature range: -40 to 80°C (-40 to 180°F)

PART NO.	DESCRIPTION	HOSE	PSI	FLEXIBILITY
820015	Premium hybrid polymer material	5/8" × 15	450	-40°C to +80°C
820050	Premium hybrid polymer material	5/8" × 50	450	-40°C to +80°C
820100	Premium hybrid polymer material	5/8" × 100	450	-40°C to +80°C

821000

RETRACTABLE HYBRID POLYMER WATER HOSE REEL

HOSE FEATURES

- Extreme all weather flexibility even in sub-zero conditions: -40°C (-40°F) to +82°C (180°F)
- Lightweight, lay flat and no memory, kink resistant under pressure
- Handles hot water up to 140°F
- Excellent abrasion resistant outer cover
- UV, Ozone, cracking, chemicals and oil resistance
- 150 psi maximum working pressure, 3:1 safety factor
- Bend restrictor for reducing wear and tear, and extending hose life
- Solid brass fittings

HOSE REEL FEATURES

- All steel powder coated corrosion resistant steel hose reel
- Multiple guide arm positions provide versatile uses and easier field adjustment
- Four direction Non-Snag rollers reduce hose wear abrasion
- Spring powered auto rewind with 8,000 full retraction cycles, twice of regular spring
- Base can be mounted on wall, ceiling or floor



MÄKTIG®


NEW MÄKTIG TOOLS

LOW
PROFILE

602115

3 TON CAPACITY GARAGE JACK

- Swivel saddle
- Super-tough precision welded construction with an industrial grade finish
- Industrial quality for professional mechanics and hardcore automotive enthusiasts
- Swivel saddle and rear casters provide smooth maneuvering and positioning
- Hydraulic oil by-pass system protects ram from being over-extended
- Safety overload system prevents use beyond rated capacity
- Double pump for quick lift design, can raise to the top in 8 pumps



MAX. HEIGHT 444 mm (17-7/16")
MIN. HEIGHT 300 mm (11-13/16")

602116

3 TON DOUBLE LOCK JACK STANDS

- 3 ton capacity
- 2014 ASME-PASE approved
- Passenger cars or equivalent applications
- ISO 9001 / ISO 14001
- Double lock design provides additional safety

MÄKTIG®

NEW MÄKTIG TOOLS



602410

BALL JOINT SEPARATOR KIT

- Made from thick and durable heavy-duty steel
- Adjustable jaw from 1.18-1.96 inch
- Includes 4 interchangeable fork sizes (24mm / 27mm / 32mm / 36mm)



602403

2 TON GEAR PULLER

- Forged from high quality CR-V heat-treated steel
- 2-Ton, Long 2/3-Jaw (Reversible Jaws)
- Max. Reach 3-1/4"
- Max. Spread 4-3/4"

602404

5 TON GEAR PULLER

- Forged from high quality CR-V heat-treated steel
- 5-Ton, Long 2/3-Jaw (Reversible Jaws)
- Max. Reach 5-1/2"
- Max. Spread 7"

602411

BALL JOINT REPAIR KIT

- Drop forged steel with black coating treatment to resist corrosion
- Set contains :
 - Forcing Screw
 - C-frame
 - 3 Receiving Tubes
 - Removing Adapter
 - Installing Adapter



MÄKTIG®


NEW MÄKTIG TOOLS



602430

EXHAUST PIPE STRETCHER KIT

- Steel expander 1-5/8" - 2"
- Steel expander 2" - 2-1/2"
- Collet 2-3/8" - 2-3/4"
- Collet 2-3/4" - 3-1/8"
- Collet 3-1/8" - 3-1/2"
- Collet 3-1/2" - 3-7/8"
- Collet 3-7/8" - 4-1/4"
- Replacement rubber rings



602414


10 PC SNAP RING PLIER SET

- 5-1/2" Bent Pliers with .038" (1.0mm) Tip
- 6" Straight Pliers with .038" (1.0mm) Tip
- 5-1/2" Bent Pliers with .047" (1.2mm) Tip
- 6" Straight Pliers with .047" (1.2mm) Tip
- 7-1/2" Bent Pliers with .070" (1.8mm) Tip
- 8" Straight Pliers with .070" (1.8mm) Tip
- 8-1/2" Bent Pliers with .090" (2.3mm) Tip
- 9" Straight Pliers with .090" (2.3mm) Tip
- 1 pc, - 5" Hook Tool
- 1 pc, - 5" Pick Tool

602431

EXHAUST TAIL PIPE CUTTER

- Cuts exhaust pipes from 3/4 in to 3-3/4 in diameter
- Durable black oxide finish for corrosion resistance
- 15 hardened steel



602413

3 PIECE RATCHETING HOSE PINCH PLIERS SET

- Sizes: 8-inch, 10-inch, 12-inch
- Durable metal construction
- Serrated swivel jaws ensure even clamp



MÄKTIG®

NEW MÄKTIG TOOLS

602502

TRUE RMS HYBRID MULTIMETER CAT III 1000V

- Voltage DC : 6/60/600/1000V
- Voltage AC : 6/60/600/1000V
- Current DC : 60m/600m/6/20A
- Current AC : 60m/600m/6/20A
- Resistance : 600/6k/60k/600k/6M/60MΩ
- Capacitance : 60n/600n/6μ/60μ/6mF
- Frequency : 9.999~9.999MHz
- Pulse Width : 0.5~20ms
- Dwell Angle : 0-90°



703043

NECK LIGHT 300 LM

- Infinite directional capability
- Easy dimming
- Operating time : 3 hours (full) / 6 hours (half)
- Battery : 3.7V 2200 MAH Li-ion rechargeable



602500

DIGITAL MULTIMETER

- Voltage DC : Up to 1000V
- Voltage AC : Up to 750V
- Resistance : 200 Ohms to 2 MOhms
- 3 1/2" LCD Screen
- DC Current : 2000 mA to 10A



MÄKTIG®

NEW MÄKTIG GREASE GUN



DUAL ACTION GREASE GUN

LOADING OPTIONS




14 oz. (400 gm)
Cartridge




500 cc
Bulk Fill

BOX CONTENTS



1 PC



6" (150 mm) × 1 PC
Bent steel extension



1 PC
Coupler



600060



PISTOL MODE



LEVER MODE

HIGH PRESSURE SETTING		HIGH VOLUME SETTING
LEVER MODE	PISTOL MODE	LEVER MODE
Pressure 7,000 PSI	Pressure 4,500 PSI	Pressure 5,500 PSI
Delivers MAX 0.65 GMS (1 oz/44 strokes)	Delivers MAX 0.65 GMS (1 oz/44 strokes)	Delivers MAX 1.1 GMS (1 oz/44 strokes)

MÄKTIG®

NEW MÄKTIG TOOLS

703042

PROFESSIONAL FLOOD WORKLIGHT

- Floodlight: High quality 7W COB LED, 6500K
- Spotlight: High quality 3W SMD LED, 6500K
- Durable housing & lens
- 180-degree flexible handle
- Super strong magnet on the handle
- 3 LED battery level indicators during charging and discharging



602205

DIGITAL CALIPER

- Extra large LED display screen
- Manufactured from hardened Stainless steel
- IP54 class, moisture-proof and dustproof
- Complete with storage case and battery
- Range: 0-150mm/0-6"
- Precise reading from 0.01mm (0.0005")

602114

BREAKER BAR

- 1/2" Flexhead Breaker Bar, 24" L



602206

RUN OUT GAUGE

- Brake Runout Gauge with Dial Indicator



MÄKTIG®

NEW MÄKTIG TOOLS

603000 (red)
603001 (black)

MECHANIC'S CREEPER

- Cushioned head rest
- 6 swivel casters
- Low profile
- Easy to clean surface
- 40" overall length



602111

FENDER COVER

- Prevents unwanted damages to body panels
- Made from a heavy-duty vinyl
- Magnets help secure cover to fender
- 47" long × 22" wide

903046-M = M (8)
903046-L = L (9)
903046-XL = XL (10)
903046-XXL = XXL (11)

NITRILE DIPPED WINTER GLOVE

- Acrylic inside liner for warmth
- Sandy Finish Texture for grip
- Polyester Nitrile 15 gauge outside liner

IMPROVED



702245

HIGH PERFORMANCE LED ZOOM PENLIGHT

- 150 Lumen Max
- 30 Lumen Min
- Run time 2 hrs (MAX)
- Run time 6 hrs (MIN)



602120

ROUND STAINLESS-STEEL MAGNETIC PARTS TRAY

- Swiveling plastic hood keeps steel parts secure even if the tray is knocked over
- Tray can be mounted vertically or horizontally
- PVC bottom prevents scratching
- Size: 6" round



602121

RECTANGULAR STAINLESS-STEEL MAGNETIC PARTS TRAY

- Swiveling plastic hood keeps steel parts secure even if the tray is knocked over
- Tray can be mounted vertically or horizontally
- PVC bottom prevents scratching
- Size: 5-3/8" W × 9-3/8" L rectangular

MÄKTIG®

NEW MÄKTIG AUTO BODY TOOLS



602300


AUTO BODY CLIP REMOVAL PLIER SET

- Designed to remove push and centre-locking pins, standard clips without centre pins and plastic anchors with centre pins
- 3 piece set is ergonomically designed and easy-to-use
- Double cushion grip handles
- Easy access to areas with limited space
- Greater leverage with spring-loaded design
- Tapered end for easy access

602302

AUTOMOTIVE TRIM PANEL REMOVAL TOOL SET

- Remove fasteners that secure door panels and trim pieces
- 5 piece set with ergonomic handles and chrome plated steel shafts
- Specially designed pivot point for appropriate leverage, protecting the panel and trim
- Perfect to use on most domestic and import vehicles



602303

11PC AUTOMOTIVE TRIM REMOVAL TOOL SET

- Ideal for all automotive body trim removal work
- Plastic tools are ideal to avoid any paint or panel scratches
- Comes in a convenient hook & loop storage pouch